IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A system ~~(100) including~~, comprising:

a rendering apparatus; ~~(120)~~,

a server; ~~(110)~~ and

a network ~~(130) for~~ to enable communication between the rendering apparatus and the server;

to enable the server ~~having access to content, hereinafter referred to as "server content";~~ provides access to server content that includes separately accessible content server items ~~of the server content being~~ identified by respective server content locators~~, such as a URL~~;

wherein the rendering apparatus ~~having~~ provides access to ~~further content, hereinafter referred to as "local content";~~ local content wherein titles of the local content ~~being~~ are associated with respective local content identifiers;

wherein the rendering apparatus ~~being~~ is operative to render local content items of the local content and to render server content items that relate to the local content items;

wherein the system ~~being~~ is operative to generate and to store a ~~plurality~~ list of bookmarks, wherein ~~identifying respective server content items;~~ each bookmark ~~including~~ in the list of bookmarks includes a server content locator and a local content identifier to link a local content item to a related server content item; and

wherein the rendering apparatus ~~being~~ is operative to present the stored list of bookmarks to a user for selection of a bookmark and render a server content item indicated by the server content locator of a user-selected bookmark conditional on having access to a local content title associated with the local content identifier of the user-selected bookmark.

2.   (Currently Amended) ~~A~~ The system as claimed in claim 1, wherein the rendering apparatus includes a user interface for presenting to ~~a~~ the user which bookmarks in the stored list of

bookmarks are selectable <u>at a given time </u>for rendering of server

content indicated by the respective bookmark<u> at that time</u>.

3.   (Currently Amended)   A̶ <u>The </u>system as claimed in claim 1,

wherein a bookmark is selectable only if the rendering apparatus

has access to a local content title associated with the local

content identifier of the bookmark.

4.   (Currently Amended)   A̶ <u>The </u>system as claimed in claim 1,

wherein the rendering apparatus includes a user interface for

presenting bookmarks to a user organized according to the

respective local content identifiers of the bookmarks.

5.   (Currently Amended)   A̶ <u>The </u>system as claimed in claim 1,

wherein the rendering apparatus is operative to render a server

content item indicated by the server content locator of a <u>user-</u>

<u>selected </u>bookmark s̶y̶n̶c̶h̶r̶o̶n̶o̶u̶s̶ ̶t̶o̶ <u>in </u>synchronization<u> with </u>rendering

the local content title associated with the local content

identifier of the bookmark upon user selection of the user-selected

bookmark.

6.   (Currently Amended) A The system as claimed in claim 5,

wherein separately accessible items of the local content are

identified by respective local content locators, such as a time

indicator; wherein the bookmark including includes a local content

locator enabling starting the rendering of the local content title

at a location indicated by the local content locator.

7.   (Currently Amended) A The system as claimed in claim 1,

wherein the bookmark includes a user ID identifying a user of the

rendering apparatus, and/or or a family ID identifying a family of

users of the rendering apparatus or both user and family IDs.

8.   (Currently Amended) A The system as claimed in claim 7,

wherein the user interface is operative to present the stored

bookmarks organized according to the user ID and/or or family ID of

the bookmarks or both user and family IDs.

9.   (Currently Amended) ~~A~~ The system as claimed in claim 1,

wherein the bookmark includes a parental level indicator~~;~~, wherein

the rendering apparatus ~~being~~ is operative to present a bookmark

~~and/or~~ or to render a remote item indicated by a bookmark, or

present and render, only if the parental level indicator of the

bookmark matches a parental level setting of the rendering

apparatus.

10.   (Currently Amended) ~~A~~ The system as claimed in claim 1,

wherein the system is operative to generate and store a bookmark in

the bookmark list in response to an instruction from a user, ~~where~~

wherein the generated bookmarks ~~includes~~ each include a server

content locator identifying a server content item currently being

rendered and a local content identifier associated with a local

content item that currently is accessible.

11.   (Currently Amended)   A̶ The system as claimed in claim 1,

wherein the system is operative to generate bookmarks

automatically.

12.   (Currently Amended)   A̶ The system as claimed in claim 11,

wherein the system is operative to generate a bookmark for a server

content item in response to an instruction to terminate rendering

of a server content item to enable resumption of rendering of the

server content item.

13.   (Currently Amended)   A̶ The system as claimed in claim 11,

wherein the system is operative to generate a bookmark for a server

content item in response to a user selecting a server content item

for rendering, creating a history list of bookmarks.

14.   (Currently Amended)   A̶ The system as claimed in claim 1,

wherein the rendering apparatus is operative to verify an

authenticity of an accessible local content title and to render a

server content item indicated by the server content locator of a

bookmark only upon a positive outcome of the verification.

15.   (Currently Amended)   A The system as claimed in claim 1,

wherein a local content title is stored on a removable storage

medium including a medium identifier, , wherein the local content

identifier including includes the medium identifier.

16.   (Currently Amended)   A rendering apparatus for use in the The

system as claimed in claim 1, , wherein the rendering apparatus

being is operative to generate the bookmarks.

17.   (Currently Amended)   A server for use in the The system as

claimed in claim 1, , wherein the server being is operative to

store the bookmarks.

18.   (Currently Amended)   A method of generating a bookmark to

content in a server accessible through a network, , the method

including comprising acts of:

retrieving a local content identifier associated with a title

of a local content item that accessible for rendering by a

rendering apparatus local to the local content item;

retrieving a server content locator, such as a URL,

identifying a separately accessible server content item of the

server content that is related to the local content title; and

generating and storing a new bookmark in a list of bookmarks

to link the local content item to the related server content item,

wherein the new bookmark that includes the retrieved server content

locator and the corresponding local content identifier.

19. (Currently Amended) A method of accessing content in a server

accessible through a network; the method including acts of:

retrieving a presenting a list of bookmarks to a user enabling

user-selection of one or more bookmarks in the presented list of

bookmarks, wherein each bookmark in the list of bookmarks that

includes: a local content identifier associated with a local

content title of local content item accessible for rendering by a

rendering apparatus local to the local content, item, and a server

content locator, ~~such as a URL,~~ identifying a separately accessible <u>server content</u> item ~~of the server content~~ that is related to the local content title<u> of the local content item</u>; and

<u>in response to a user-selected bookmark in the presented list of bookmarks,</u> rendering a server content item indicated by the server content locator of the <u>user-selected </u>bookmark conditional on having access to the local content title associated with the local content identifier of the <u>user-selected </u>bookmark.

20. (Currently Amended) A ~~computer program product operative to cause a processor~~ <u>computer readable medium comprising program instructions stored thereon, which are executable by a processor </u>to perform the method of claim 18.